Industrial Solutions

PRODUCT GUIDE



YOU KNOW THE WD-40 BRAND NAME... But do you know all it can do for your mro jobs?

Our time-tested formulas have been solving problems across a variety of industries for more than 65 years. From metal fabrication operations to property management, MRO pros can count on WD-40_® Brand products to keep their facilities moving with versatile delivery systems that offer a unique combination of safe, powerful and specialized formulas designed to increase efficiency, reduce downtime and minimize risk—everything you need to get the job done right.



PROVEN AND EFFECTIVE FORMULAS FOR TOUGH ENVIRONMENTS

Lab testing shows that WD-40_® Brand products outperform other brands in critical performance tests for dependability and value you can count on.






REDUCE DOWNTIME AND PROTECT YOUR FACILITY'S ASSETS

WD-40_® Brand products help protect assets to promote longer equipment life, prevent unscheduled downtime due to unexpected equipment failure, and help avoid accidents and injuries caused by poorly maintained equipment.





SAFETY AND COMPLIANCE ARE OUR TOP PRIORITIES

All WD-40_® Brand products are formulated to minimize the risk of harm to people, surfaces and the environment.¹ Our safer product formulations do not require warnings for cancer, birth defects or other reproductive harm.² Use of WD-40_® Brand products can help reduce personal, legal and regulatory risk.



 ¹ When used and disposed of as directed.
 ² No warnings for our products are required by California Proposition 65, the Safe Drinking Water and Toxic Enforcement Act of 1986.





Found this product by WD-40 [Company] is absolutely perfect and the best out of any other product on the market that we have tried!"

LUBRICANTS & PENETRANTS

We offer an assortment of fast-acting, quickdrying lubricants that are proven to withstand the high-performance environments in which you work. They'll keep parts moving smoothly, unstick stuck parts quickly and deliver long-lasting performance to keep operations running.



Silicone

White Lithium Grease

Dry Lube

Gel Lube

Roller Chain Lube

Penetrant

WD-40 Specialister Brand products are represented using new can design and will vary in availability as we work through a rolling change.



It lubricates. It waterproofs. It protects surfaces from residue. What's even better? It dries quickly without leaving stickiness for you to clean.

FEATURES

- Lubricates, waterproofs and protects metal and non-metal surfaces
- Quick-drying with no stickiness or messy residue
- Safe to use on rubber, plastic and vinyl
- NSF Nonfood Compounds Program Listed H2 #146863
- Working temperature range— -100°F to 500°F

4 BALL WEAR TEST


APPLICATIONS

Nuts, bolts, pins, screws, bushings, cables, pulleys, sliding mechanisms, valves, linkages, hinges, locks

Lubricates at least 2x longer than the competition

for less frequent applications.





Results show width of scar at specified times. Lower number means less scarring and better protection for longer periods of time.

Test Lab: WD-40 Technical Center (Pine Brook, NJ); ASTM D4172 Modified (Longevity); B'laster is a registered trademark of B'laster Chemical Company Inc.; Liquid Wrench is a registered trademark of Radiator Specialty Company; 3M[™] is a registered trademark of 3M Company; Tested 03/2021.

ITEM #: 30001 NET WEIGHT: 11	CASE ORDER #: 300012	CASE UNITS: 6/CASE
------------------------------	----------------------	--------------------



WD-40

SPECIALIST

QUICK-DRYING

· Protects Against Rust

HIGER: EXTREMELY FLAMMABLE. HARMFUL OR FATAL IF SWALL CONTENTS UNDER PRESSURE. Read carefully other cautionary information on back panel

Waterproofs

Multi-Surface



WHITE LITHIUM GREASE

Have a job that requires heavy-duty lubrication? WD-40 Specialist. White Lithium Grease sprays on evenly as a liquid and sets dry for a thick, protective coating that won't run off, making it a perfect match for metal-to-metal applications.

FEATURES

- Long-lasting lubrication and protection
- Leaves a rust-inhibiting barrier
- Won't freeze, melt or run off
- NSF Nonfood Compounds Program Listed H2 #146864
- Working temperature range— 0°F to 300°F

APPLICATIONS

Hinges, chains, linkages, latches, overhead door tracks, pulleys, cables and guide rails, tow bars, gear and brake mechanisms

Withstands 1.5x more pressure than the competition for less frequent reapplication and reduced downtime.



EXTREME PRESSURE TEST







LPS® LPS® M WHITE LITHIUM GREASE

CRC[®] M WHITE LITHIUM GREASE




WD-40 SPECIALIST_®

Test measures the load carrying properties of a lubricant.

Test Lab: WD-40 Technical Center (Pine Brook, NJ); ASTM D3233A; B'laster is a registered trademark of B'laster Chemical Company Inc.; LPS is a registered trademark of LPS Laboratories; CRC is a registered trademark of CRC Industries Inc.; Tested 12/2020.

ITEM #: 30061	NET WEIGHT: 10 OZ.	CASE ORDER #: 300615	CASE UNITS: 6/CASE





WD-40

AliGER: EXTREMELY FLAMMABLE. HARMFUL OR FATAL IFSWALL CONTENTS UNDER PRESSURE. Read carefully other cautionary information on back panel.



Not even the highest temperatures pose a problem with WD-40 Specialist. Dry Lube. Our spray, which is safe on multiple surfaces, reduces friction while providing long-lasting lubrication and corrosion protection. It dries quickly, leaves no oily residue, and resists dirt, dust and oil.

FEATURES

- PTFE formula reduces friction and wear, and enhances performance
- Resists dust, oil and dirt accumulation
- NSF Nonfood Compounds Program Listed H2 #146856
- Working temperature range— -50°F to 500°F

APPLICATIONS

Blades and bits, tracks, slides, pulleys, hinges, machine parts, switches, conveyor belts, rollers, table saws, drills, lathes, and other power tools and equipment

Provides 5x greater wear protection and lubricates at least 4x longer than the competition for reduced application frequency.



4 BALL WEAR TEST



4 BALL WEAR TEST

4 Ball Wear Test: Results show width of scar ofter 60 minutes at 12,000 RPM.

Modified (Longevity) Test: Results show width of scar at specified times. Lower number means less scarring and better protection. Test Lab: WD-40 Technical Center (Pine Brook, NJ); ASTM D4172, Tested 12/2020 and ASTM D4172 Modified (Longevity), Tested 04/2021; B'laster is a registered trademark of B'laster Chemical Company Inc.

ITEM #: 30005	NET WEIGHT: 10 OZ.	CASE ORDER #: 300059	CASE UNITS: 6/CASE

SPECIALIST. DRY LUBE



• Dirt & Dust Resistant • Great for Table Saws, Drills & Lathes

IGER: EXTREMELY FLAMMABLE. HARMFUL OR FATAL IFSWALL SKIN IRRITANT. CONTENTS UNDER PRESSURE Pead carefully other cautionary information on back panel.



Our unique gel lubricant sprays on thick and won't run, drip or make a mess. The no-drip formula is powerful enough to provide **12x longer-lasting lubrication**^{*} and it also prevents rust and corrosion for up to one year^{**}—creating a more productive and efficient workplace.

FEATURES

- Thick, no drip, no mess, non-fling
- Stays where you spray it; perfect for vertical surfaces
- Self-healing characteristics
- Safe on metals, plastics and rubber
- Working temperature range— -100°F to 500°F

APPLICATIONS

Chains, cables, gears, rollers, bearings, moving parts, vertical surfaces

Lubricates 15x longer than the competition.



LONG-LASTING LUBRICATION TEST



Test measures length of lubrication under pounds of force before breakdown

Test Lab: Petro-Lubricant Testing Labs (Lafayette, NJ); ASTM D5620; LPS is a registered trademark of Illinois Tool Works Inc., B'laster is a registered trademark of B'laster Chemical Company Inc., Imperial Gel Lube is a registered trademark of Imperial Supplies LLC; Tested 04/2020

ITEM #: 30010	NET WEIGHT: 10 OZ.	CASE ORDER #: 300103	CASE UNITS: 6/CASE

* Compared to WD-40 $_{\odot}$ Multi-Use Product using independent lab test ASTM D5620.

** Independent lab tests conducted in humidity chamber. Results vary depending on extreme conditions.



SPECIALIST.





Superior Protection Prevents rust up to one year

HIGER: EXTREMELY FLAMMABLE. HARMFUL OR FATAL IF SWALLO CONTENTS UNDER PRESSURE. Read carefully other cautionary information on back panel.



ROLLER CHAIN LUBE

Thickens, repels dirt, stays put—Advanced Ceramic Reinforced lubricant sprays on thin to penetrate deep into the chain and protects it from breaking prematurely. It then thickens to provide proven, long-lasting lubrication.

FEATURES

- Protects chains from premature breakage*
- Repels dirt, displaces contaminants and traps moisture
- Non-fling at high RPM
- Provides long-lasting lubrication
- Working temperature range— -40°F to 400°F

APPLICATIONS

Chains, sprockets, chain links, O-ring chains

Penetrates inner chain links, O-rings, pins and bushings, and stays in place to protect.



1. Penetrates into chain inner links, pins, bushings and rollers
2. Displaces contaminants and trapped moisture
3. Dries quickly inside links (non-fling)
4. Provides long-lasting lubrication on chain and sprockets
5. Protects chains and sprockets against rust and premature breakage
5. Safe on O-Ring chains

ITEM #: 30049	NET WEIGHT: 10 OZ.	CASE ORDER #: 300493
---------------	--------------------	----------------------

CASE UNITS: 6/CASE

* Based on proper chain maintenance extending the life of the chain. Proper maintenance for roller chain is cleaning and lubricating external parts (chains and sprockets), and also the internal parts (chain links).



WD-40

SPECIALIST

NON-FLING LUBE

Penetrates & Lubricates Chain

AIGER: EXTREMELY FLAMMABLE, HARMFUL OR FATAL IF SWALL CONTENTS UNDER PRESSURE, SKIN IRRITANT.

Read carefully other cautionary information on back panel

Won't Attract Dirt

^{Protects} Chain From Breaking Prematurely¹

Ceramic ainforced Formula





Innovative and proven effective, this rust-busting formula gets into tight crevices, threads, locks, chains and seams to break bonds that hold stuck parts together. To make your job easier, we took it a step further by attaching an eight-inch flexible straw that bends, keeps its shape and spravs two ways, giving you easier access to hard-to-reach spaces.


FEATURES

- Proprietary penetrating formula releases tough rusted parts with minimal effort
- · Fast-acting formula penetrates deep into crevices, threads and seams
- Prevents rust and corrosion from re-forming
- Safe on metals, plastics and rubber
- Displaces water better than competitive brands
- Working temperature range— 0°F to 400°F

Penetrates up to 2x faster

than competitors, which means less downtime and faster return to service. Provides 10x longer surface rust protection than the competition for extended equipment life and reduced re-applications.

NAIL CLIMB TEST



Test measures the penetrating ability of a fluid. The less time to penetrate, the better.

Test Lab: Fred Cuneo (3rd party); Knock'er Loose is a registered trademark of CRC Industries Inc.; PB B'laster is a registered trademark of B'laster Chemical Company Inc.; Kroil is a registered trademark of Kano Laboratories Inc.; Tested 03/2021.

SALT SPRAY CORROSION PROTECTION TEST



SPECIALIST_® Less than 38% corrosid at 24 hours



PB B'LASTER® 95% corrosion at 24 hours

KROIL® 95% corrosion at 24 hours

This test is used to measure the level of corrosion protection provided by a test fluid.

Test Lab: WD-40 Technical Center (Pine Brook, NJ); ASTM B117; PB B'laster is a registered trademark of B'laster Chemical Company Inc.; Kroil is a registered trademark of Kano Laboratories Inc.; Tested 02/2021

PENETRANT

ITEM #: 30000	NET WEIGHT: 11 OZ.
CASE ORDER #: 300004	CASE UNITS: 6/CASE

PENETRANT WITH EZ-REACH®

ITEM #: 30048	NET WEIGHT: 13.5 OZ.
CASE ORDER #: 300486	CASE UNITS: 6/CASE

APPLICATIONS

Rusted metal threads. nuts. bolts, pins, screws, bushings, cables, pulleys, sliding mechanisms, valves, linkages, hinges, locks, chains





86% of facility professionals state that VOC compliance is an important factor when choosing an MRO product—100% of WD-40_® Brand products are 50-state VOC compliant.

2018 B2B International Research Report

Exactly what you need to degrease those hard to reach spots. Eats the grease, and wipes away clean. Excellent, excellent product."

CLEANERS & DEGREASERS

Engineered to be powerful yet safe, our industrial-strength cleaners and degreasers keep your facilities and equipment running smoother, lasting longer and looking like new.



Contact Cleaner

Machine & Engine Degreaser

Carb/Throttle Body Cleaner

Degreaser (Aerosol)

Cleaner & Degreaser (Non-Aerosol)

WD-40 Specialist. Brand products are represented using new can design and will vary in availability as we work through a rolling change.



CONTACT CLEANER

With this cleaner, oil, dirt, flux residue and condensation are blasted away from sensitive electronics and electrical equipment with pinpoint precision. It dries quickly, leaves no residue and removes more soil than leading competitors, making it the best at cleaning electrical contacts.¹

FEATURES

- Kb cleaning score of 250 vs. mineral spirits (Kb 25)
- Quick-drying with no residue
- Dielectric Strength >20,000 volts
- Safe on most plastics², rubber and metal
- NSF Nonfood Compounds Program Listed K2 #146857

APPLICATIONS


Circuit boards, controls, battery terminals, switches, tape heads, precision instruments, electric panels, generators, electric motors, armatures

¹ Always check with the device manufacturer before performing maintenance.
 ² Test on plastic before using, and avoid adhesives, device screens and keyboards.

Removes over 95% of common surface contaminants for optimal performance.



REMOVES A WIDE VARIETY OF CONTAMINANTS



WD-40.





 Cleans Sensitive Electrical Parts¹
 Leaves No Residue

AIGER: EXTREMELY FLAMMABLE. HARMFUL OR FATAL IF SWALL CONTENT UNDER PRESSURE. EYE AND SKIN IRRITANT. Read carefully other cautionary information on back panel.



MACHINE & ENGINE DEGREASER



Our water-based aerosol formula provides deep, foaming penetrating action and a powerful stream that sprays up to five feet to quickly and easily remove grease, oil, dirt and grime without the time and trouble of disassembly.

FEATURES

- Low odor, water-based formula
- Deep penetrating foaming action gets into cracks and crevices
- Quickly removes grease, oil, dirt and grime
- No rinsing required; low residue for a clean finish
- NSF Nonfood Compounds Program Listed C1 #146737


APPLICATIONS

Engines, forklifts, gears and chains, industrial machinery, power equipment, metal tools

Removes automotive and industrial particulate soil faster than the competition.



EXTREME CLEANING SCORE



Test evaluates the cleaning ability of a fluid using a mechanical device. Score shows percent of soil removed.

Test Lab: Sterling Laboratories (Toledo, OH); ASTM D4488-A3; Sprayway® is a registered trademark of PLZ Aeroscience Corporation; B'laster is a registered trademark of B'laster Chemical Company Inc.; CRC is a registered trademark of CRC Industries, Inc.; Tested 05/2020.

ITEM #: 30007	NET WEIGHT: 18 OZ.	CASE ORDER #: 300070	CASE UNITS: 4/CASE



W/**1**-4!



Quickly Removes Grease,
 Oil, Dirt & Grime
 Deep Penetrating Action
 Low Residue



CARB/THROTTLE BODY CLEANER

It's the only all-in-one spray you need to clean your carburetor, throttle body and unpainted metal parts. It is a powerful solvent-based cleaner that blasts away tough carbon deposits, oil and grime with a unique dual-action cleaning system that breaks it up and doesn't leave behind residue.

FEATURES

- Powerful formula breaks up and blasts away tough deposits
- Proven to improve performance at high RPMs
- Reduced splash-back and overspray
- Safe on oxygen sensors or catalytic converters upon incidental contact


APPLICATIONS

Carburetors, throttle body, gas-powered equipment, fleet maintenance, non-painted metal parts

Powerful formula quickly breaks up and blasts away tough deposits for superior performance at high RPM.



STALLING EFFECTS AT HIGH SPEED



Results show average RPM after products are applied and recorded for standard deviation from the average. **Closer to baseline and smaller standard deviation is better as these imply minimal stalling effects.**

Test Lab: Intertek Carnot Emission Services (San Antonio, TX); Gold Eagle is a registered trademark of Gold Eagle Company; Berryman is a registered trademark of Berryman Products Inc.; Gumout is a registered trademark of ITW Global Brands; Tested 05/2013.

ITEM #: 30013	NET WEIGHT: 13.5 OZ.	CASE ORDER #: 300134	CASE UNITS: 6/CASE





SPECIALIST

WN-4



^{• Powerful Formula Blasts} Away Tough Deposits ^{• Dual-Action Cleaning}



DEGREASER



A powerful solvent-based degreaser that quickly cleans machinery, engines and equipment to run smooth and look like new. Our fast-acting formula contains **PowerSolve Technology**_{TM}— a proprietary solvent that quickly breaks down grease, as well as oil, dirt, tar, adhesives and more.

FEATURES

- Contains fast-acting PowerSolve Technology™
- Safe on metals, plastics, rubber and glass
- High liquid flashpoint of 202°F
- No residue
- Low fumes
- NSF Nonfood Compounds Program Listed K1 #150956

APPLICATIONS

Automotive and truck engines, tire rims, gears and chains, industrial machinery, power equipment, other metal tools

Industrial-strength formula quickly removes tough dirt, grease and grime. Safe on plastics, rubbers, glass, metals and more.



SAFE FOR USE ON:

METALS

Aluminum Chrome Copper–C110 Alloy (Unpolished) Galvanized Steel Magnesium Steel (Cold Roll, Unpolished) Titanium (Unpolished) Zinc

	Λ
PLASTICS / RUBBERS / Non-Metals	
Acetal	
Carbon Fiber	
Copolymer	
Neoprene (Hard Rubber)	

ITEM #: 30028

CASE UNITS: 6/CASE

Fast Acting

WD-40

DEGREASER

INDUSTRIAL-STRENGTH

- Multi-Surface
- No Residue

SPECIALIST



CLEANER & DEGREASER

Engineered and proven to be more powerful and safer than other degreasers on the market, WD-40 Specialist_® Cleaner & Degreaser is formulated with a unique bio-solvent that quickly breaks through tough grease and grime, protects against flash rust and is safe for use on sensitive surfaces—meeting the EPA's Safer Choice Certification criteria for safety and efficacy.

FEATURES

- Formulated with a biodegradable solvent
- Safe for food-processing facilities
- Contains anti-corrosion additives to prevent flash rust
- Non-flammable, non-corrosive and non-abrasive
- Low odor/fragrance-free
- NSF Nonfood Compounds Program Listed A1, A2, A4, A8, B1 #153187



APPLICATIONS

Parts, tools, floors, industrial machinery, commercial appliances and equipment, power washers, ultrasonic tool cleaners

EPA/Safer Choice recognition does not constitute endorsement of this product. The Safer Choice label signifies that the product's formula, as WD-40 Company has represented it to the EPA, contains ingredients with more positive human health and environmental characteristics than conventional products of the same type. EPA/Safer Choice relies solely on WD-40 Company, its integrity and good faith, for information on the product's composition, ingredients and attributes. EPA/Safer Choice has not independently identified, that is, via chemical analysis, the ingredients in the product formula, nor evaluated any of WD-40 Company non-ingredient claims. EPA/Safer Choice bis sevaluation only as to the product's human health and environmental characteristics, as specified in the Safer Choice Standard and based on currently available information and scientific understanding.

Outperforms competitors in surface compatibility tests on sensitive surfaces such as aluminum and glass.

						A DECEMBER		
CLEANER & DEGRE	ASER REFILL							
ITEM #: 30034	NET WEIGHT: 24 OZ.	CASE ORDER #: 300349	CASE UNITS: 6/CASE]			125	
CLEANER & DEGRE	ASER (32 OZ.)					/	1	
ITEM #: 30035	NET WEIGHT: 32 OZ.	CASE ORDER #: 300356	CASE UNITS: 6/CASE]		1	T-J.	14
CLEANER & DEGRE	ASER GALLON					1000	W	D·40
ITEM #: 30036	NET WEIGHT: 1 GAL.	CASE ORDER #: 300363	CASE UNITS: 4/CASE			0000		
CLEANER & DEGRE	ASER 5-GALLON					19ª		
ITEM #: 30047	NET WEIGHT: 5 GAL.]	NAVAN N				the second s	CIALIST.
CLEANER & DEGRE	ASER 55-GALLON	-			40	CLEAN	ER & DEG	REASER
ITEM #: 30038	NET WEIGHT: 55 GAL.]	WD	-40		-	INDUSTRIAL-STRENG	TH
			COLOR D	DECREASER		SAFER CHOICE	• Safe On Sensitive Met • Low Odor • Biodegradable	tals NET 24 FL OZ (1.5PT) 709 mL

For anyone who hasn't used this, it is superb for stopping rust on items in high humidity or wet locations. Protects long after many (most) oils have failed."

RUST MANAGEMENT

Preventing and removing rust is an important part of facility and equipment maintenance, repair and operations. Whether you are looking to prevent or remove rust, we have a product for the job.



Rust Remover Soak

Corrosion Inhibitor

WD-40 Specialist. Brand products are represented using new can design and will vary in availability as we work through a rolling change.



RUST REMOVER SOAK

WD-40 Specialist® Rust Remover Soak safely and effectively removes rust without acids or caustic chemicals. This formula is non-toxic, contains no VOCs and works without harming surrounding surfaces. It restores even intricate, hard-to-reach surfaces to clean, bare metal that is ready to paint, and brightens copper, brass and similar alloys.

FEATURES

- Removes rust and other corrosion, but safe for surrounding areas
- No need for scraping, chipping or scrubbing
- Non-toxic fumes and acid-free
- NSF Nonfood Compounds Program Listed P1 #146753
- Formulated to be non-irritating to skin

APPLICATIONS


Tools, metal, cast iron, chrome parts, copper, brass and other alloys

Fast-acting formula removes rust and restores surfaces to bare metal without caustic chemicals or harsh acids with minimal downtime.



SOAK TEST

6-Hour Salt Exposure



WD-40 SPECIALIST® 4-Hour

Rust Remover Soak Treatment



 Safely Removes Tough Rust from Metal Parts and Tools

Non-Irritating to Skin

Targets the Rust, Safe for Surrounding Areas
 No Toxic Fumes and Acid Free

NET 128 FL. OZ. (1 gallon)/3.78 L

Rusty steel panels are dipped in rust-removing fluid.

Test Labs: Matco Services Inc. (Division of Valmont Industries, Pittsburgh, PA) The Lubrizol Corporation (Wickliffe, Ohio); Tested on 9/6/2011.

ITEM #: 30004

CASE UNITS: 4/CASE



CORROSION INHIBITOR

Get ahead of the problem with this long-lasting corrosion inhibitor that protects metal parts by blocking rust and corrosion for up to 1 year outdoors or 2 years indoors. Ideal for preventive maintenance applications in challenging environments such as high humidity and long-term storage. The non-drying formula continues to work even if some of the coating gets rubbed off, re-sealing the vulnerable surface.

FEATURES

- Vapor Corrosion Inhibitors seal and protect to block corrosion
- Works indoors and outdoors •
- Protects metals up to two years
- **NSF Nonfood Compounds Program** • Listed A7 #146726

APPLICATIONS

Machined surfaces, equipment and metal parts subjected to extended storage periods, tools, chains, cables

Protects the surface from corrosion 40x longer than B'laster[®] Heavy-Duty Corrosion Stop.




CORROSION PROTECTION



WD-40 **SPECIALIST**® 2,000 HRS.

ITEM #:







Test Lab: Petro-Lubricant Laboratories Inc. (Lafayette,NJ); ASTM B117; B'laster is a registered trademark of B'laster Chemical Company Inc.; Tested on 05/2020.

24 HRS.

: 30003	NET WEIGHT: 6.5 OZ.	CASE ORDER #: 300035

CASE UNITS: 6/CASE



WD-40



Blocks Rust and Corrosion Long-Lasting, Protective Coating for Mea Ideal to Use on Equipment Before Sto IGEREXTREMELY FLAMMABLE, MAY BE HARMFUL IF SWAL HROUGH THE SKIN. CONTENTS UNDER PRESSURE EVE IRRITANT. Read carefully other cautionary information on back parel

NET WEIGHT 6.5 OZ./184g

It's easy to work with, whether hand applying or using a mechanical grease gun. Regardless of the temperature, it can easily be spread but it also doesn't run—it stays put. So long other grease gun cartridges,I'll be using WD-40 [Specialist_® Greases] from now on."

GREASES

We provide an assortment of greases that are proven to withstand extreme conditions, allowing you to protect your equipment and get your job done right.



Heavy-Duty Grease High-Temp Grease Extreme Pressure Grease Marine-Grade Grease

WD-40 Specialist. Brand products are represented using new can design and will vary in availability as we work through a rolling change.



HEAVY-DUTY GREASE

WD-40 Specialist_® Heavy-Duty Grease is a versatile solution with properties even lithium greases don't offer. With a dropping point above 650° F, it also provides marine-grade water resistance and protection against rust and corrosion. Engineered for high-speed and heavy-duty applications, Heavy-Duty Grease is an excellent choice for lubricating machinery in damp conditions.

FEATURES

- Withstands extreme temperatures
- Performs under extreme pressure
- Superior water resistance
- Long-lasting corrosion protection

Provides more than **2x the load wear protection** for superior lubrication and longer-lasting performance.

LOAD WEAR TEST





Test measures the relative ability of a lubricant to prevent wear under applied loads.

Test Lab: Petro-Lubricant Testing Labs (Lafayette, NJ); ASTM D2596; B'laster is a registered trademark of B'laster Chemical Company Inc.; Tested 03/2020.

ITEM #: 30042







Calcium Sulfonate Formula for: •Extreme Pressure •High Temperature •Severe Marine Conditions



HIGH-TEMP GREASE EXTREME PRESSURE GREASE MARINE-GRADE GREASE

The WD-40 Specialist_® line of greases gives surfaces the protection they need regardless of the environment. Whether your work involves high temperatures, high pressure or the need for protection from water, you can trust these products to lubricate and protect so you can fight wear and keep your equipment running smoother for longer periods of time.

FEATURES

- Excellent corrosion protection
- Outstanding performance under heavy-metal loads
- 625°F drop point
- Working temperature range— -40°F to 325°F



FEATURES

- Extreme pressure lubrication
- Outstanding surface protection against heavy load and wear
- 600°F drop point

EXTREME PRESSURE GREASE

ITEM #: 30040

NET WEIGHT: 14 OZ.

CASE ORDER #: 300400

CASE UNITS: 10/CASE

 Working temperature range— -40°F to 325°F







•Extreme Pressure Lubrication •Outstanding Surface Protection Against Hea Load & Wear •Excellent Corrosion Protection



CAUTION: EYE AND SKIN IRRITANT. MAY SE HARMFUL IF SWALLOWED.

NET WEIGHT 14 OZ./3969 MADE IN USA

All of our greases deliver up to **25% higher drop point**.*

*Compared to conventional lithium-based greases.



HIGH-TEMP GREASE

ITEM #: 30039
NET WEIGHT: 14 OZ.
CASE ORDER #: 300394
CASE UNITS: 10/CASE



*Outstanding Performan Under Heavy Mechanical Loads *Excellent Corrosion Protection

NLGI #2

CAUTION: EVE AND SKIN IRRITANT. MAY BE HARMFUL IF SWALLOWED. Rear careful volter cautionary information on backgree NET WEIGHT 14 OZ./3969

MADE IN USA



FEATURES

- Excellent water wash-out performance
- Maximum lubrication for extreme marine applications
- 620°F drop point
- Working temperature range— -40°F to 325°F



MARINE-GRADE GREASE

ITEM #: 30041

NET WEIGHT: 14 OZ.

CASE ORDER #: 300417

CASE UNITS: 10/CASE



Excellent Water Wash-Out Performance Outstanding Rust & Corrosion Protection Maximum Lubrication for Extreme Marine Application

NLGI #2

CAUTION: EYE AND SKIN IRRITANT. MAY BE HARMFUL IF SWALLOWED.

NET WEIGHT 14 OZ./3969 MADE IN USA In 1953, an aerospace contractor first used WD-40® Multi-Use Product to protect the outer skin of the Atlas Missile from rust and corrosion. **Today the product has more than 2,000 uses.**

WD40company.com

I have used WD-40_® [Multi-Use Product] for almost any rusty bolt or squeaky door. With the EZ-REACH_® nozzle it now is even easier to reach those tough spots and you don't have to bend and twist all over the place to get to that last bolt."

WD-40® MULTI-USE PRODUCT

The product millions around the world know and trust, with more than 65 years of proven performance and countless applications, this is the essential product for any maintenance environment. It comes in many forms so that you have the best tools to get each job done.



WD-40° Multi-Use Product WD-40° Smart Straw° WD-40° EZ-REACH° WD-40° Big Blast° WD-40° Industrial Size WD-40° Trigger Pro° WD-40° Gallon WD-40° 5 Gallon Drum



MULTI-USE PRODUCT

WD-40® Multi-Use Product is the most recognized and relied upon name in its class-protecting equipment from rust and corrosion, penetrating stuck parts, displacing moisture and lubricating almost anything. Available in a variety of delivery and application methods, to make any industrial job easier, safer and more efficient.

FEATURES

- Time-saving, easy-to-use
- Patented delivery systems
- Variety of sizes for any job, big or small
- Protects against corrosion
- Penetrates rusted bonds
- Dissolves adhesives and displaces moisture to dry out electrical systems





WD-40₀ MULTI-USE	PRODUCT			WD-40∞ TRIGGER P	RO®		
ITEM #: 49000	NET WEIGHT: 3 OZ.	CASE ORDER #: 490002	CASE UNITS: 12/CASE	ITEM #: 49010	NET WEIGHT: 20 OZ.	CASE ORDER #: 490108	CASE UNITS: 6/CASE
WD-40® SMART STR	RAW®			WD-40® GALLON			
ITEM #: 49002	NET WEIGHT: 8 OZ.	CASE ORDER #: 490026	CASE UNITS: 12/CASE	ITEM #: 49011	NET WEIGHT: 1 GAL.	CASE ORDER #: 490118	CASE UNITS: 4/CASE
ITEM #: 49004	NET WEIGHT: 11 OZ.	CASE ORDER #: 490040	CASE UNITS: 12/CASE				
ITEM #: 49005	NET WEIGHT: 12 OZ.	CASE ORDER #: 490057	CASE UNITS: 12/CASE	WD-40∞ 5-GALLON		1	
	<u> </u>			ITEM #: 49012	NET WEIGHT: 5 GAL.]	
WD-40® EZ-REACH®	8			WD-40® 55-GALLON	u		
ITEM #: 49019	NET WEIGHT: 14.4 OZ.	CASE ORDER #: 490194	CASE UNITS: 6 /CASE	ITEM #: 49013	NET WEIGHT: 55 GAL.	1	
				TTEIWI #: 45015	NET WEIGHT: 35 GAL.		
WD-40® BIG BLAST				WD-40® SPRAY APF			
ITEM #: 49009	NET WEIGHT: 18 OZ.	CASE ORDER #: 490095	CASE UNITS: 6/CASE				
		1		ITEM #: 10000	CASE ORDER #: 10100	CASE UNITS: 4/CASE	
WD-40₀ INDUSTRIA	L SIZE						

WD-40₀ MULTI-USE	PRODUCT			WD-40® TRIGGER PRO®			
ITEM #: 49000	NET WEIGHT: 3 OZ.	CASE ORDER #: 490002	CASE UNITS: 12/CASE	ITEM #: 49010	NET WEIGHT: 20 OZ.	CASE ORDER #: 490108	CASE UNITS: 6/CASE
WD-40® SMART STR	AW₀			WD-40® GALLON			
ITEM #: 49002	NET WEIGHT: 8 OZ.	CASE ORDER #: 490026	CASE UNITS: 12/CASE	ITEM #: 49011	NET WEIGHT: 1 GAL.	CASE ORDER #: 490118	CASE UNITS: 4/CASE
ITEM #: 49004	NET WEIGHT: 11 OZ.	CASE ORDER #: 490040	CASE UNITS: 12/CASE				
ITEM #: 49005	NET WEIGHT: 12 OZ.	CASE ORDER #: 490057	CASE UNITS: 12/CASE	WD-40 _® 5-GALLON		7	
		1		ITEM #: 49012	NET WEIGHT: 5 GAL.		
WD-40® EZ-REACH				n WD-40⊚ 55-GALLO	N		
ITEM #: 49019	NET WEIGHT: 14.4 OZ.	CASE ORDER #: 490194	CASE UNITS: 6 /CASE	ITEM #: 49013	NET WEIGHT: 55 GAL.	1	
				TTEW #. 43013	NET WEIGHT. 33 GAL.		
WD-40® BIG BLAST	>			WD-40 _® SPRAY API	PLICATOR		
ITEM #: 49009	NET WEIGHT: 18 OZ.	CASE ORDER #: 490095	CASE UNITS: 6/CASE		1		
	I	1	1	ITEM #: 10000	CASE ORDER #: 10100	CASE UNITS: 4/CASE	
WD-40₀ INDUSTRIA	L SIZE						

WD-40₀ MULTI-USE	PRODUCT			WD-40® TRIGGER P	RO∞		
ITEM #: 49000	NET WEIGHT: 3 OZ.	CASE ORDER #: 490002	CASE UNITS: 12/CASE	ITEM #: 49010	NET WEIGHT: 20 OZ.	CASE ORDER #: 490108	CASE UNITS: 6/CASE
WD-40⊕ SMART STR	AW®			WD-40® GALLON			
ITEM #: 49002	NET WEIGHT: 8 OZ.	CASE ORDER #: 490026	CASE UNITS: 12/CASE	ITEM #: 49011	NET WEIGHT: 1 GAL.	CASE ORDER #: 490118	CASE UNITS: 4/CASE
ITEM #: 49004	NET WEIGHT: 11 OZ.	CASE ORDER #: 490040	CASE UNITS: 12/CASE				
ITEM #: 49005	NET WEIGHT: 12 OZ.	CASE ORDER #: 490057	CASE UNITS: 12/CASE	WD-40 _® 5-GALLON		1	
		1		ITEM #: 49012	NET WEIGHT: 5 GAL.		
WD-40® EZ-REACH®	•			WD-40 _® 55-GALLO			
ITEM #: 49019	NET WEIGHT: 14.4 OZ.	CASE ORDER #: 490194	CASE UNITS: 6 /CASE	ITEM #: 49013	NET WEIGHT: 55 GAL.]	
WD-40® BIG BLAST®	,						
ITEM #: 49009	NET WEIGHT: 18 OZ.	CASE ORDER #: 490095	CASE UNITS: 6/CASE	WD-40® SPRAY APF			
		1		ITEM #: 10000	CASE ORDER #: 10100	CASE UNITS: 4/CASE	
WD-40₀ INDUSTRIA	L SIZE						

WD-40® MULTI-US	E PRODUCT			WD-40® TRIGGER P	RO®		
ITEM #: 49000	NET WEIGHT: 3 OZ.	CASE ORDER #: 490002	CASE UNITS: 12/CASE	ITEM #: 49010	NET WEIGHT: 20 OZ.	CASE ORDER #: 490108	CASE UNITS: 6/CASE
WD-40® SMART ST	RAW∞			WD-40® GALLON			
ITEM #: 49002	NET WEIGHT: 8 OZ.	CASE ORDER #: 490026	CASE UNITS: 12/CASE	ITEM #: 49011	NET WEIGHT: 1 GAL.	CASE ORDER #: 490118	CASE UNITS: 4/CASE
ITEM #: 49004	NET WEIGHT: 11 OZ.	CASE ORDER #: 490040	CASE UNITS: 12/CASE				
ITEM #: 49005	NET WEIGHT: 12 OZ.	CASE ORDER #: 490057	CASE UNITS: 12/CASE	WD-40 _® 5-GALLON	1	7	
	1	1		ITEM #: 49012	NET WEIGHT: 5 GAL.		
WD-40₀ EZ-REACH	lø			WD-40® 55-GALLO	N		
ITEM #: 49019	NET WEIGHT: 14.4 OZ.	CASE ORDER #: 490194	CASE UNITS: 6 /CASE	ITEM #: 49013	NET WEIGHT: 55 GAL.	1	
				TIEWI#: 49013	NET WEIGHT: 55 GAL.		
WD-40® BIG BLAS	le .			WD-40® SPRAY API			
ITEM #: 49009	NET WEIGHT: 18 OZ.	CASE ORDER #: 490095	CASE UNITS: 6/CASE	WD-400 SFRATAFT	LIGATON		
				ITEM #: 10000	CASE ORDER #: 10100	CASE UNITS: 4/CASE	
WD-40® INDUSTRI	AL SIZE			<u> </u>			





APPLICATIONS

Moving and rusted metal parts, hinges, wheels, pulleys, rollers, chains, gears, joints, conveyors, hoists, tools and more



Check out some of WD-40 Compa other great products that are made tough enough for your work

No matter your maintenance need, WD-40 Company has a product to make your day easier and help protect your facility assets and the bottom line.



3-IN-ONE® MULTI-PURPOSE OIL

ITEM #: 10035	NET WEIGHT: 3 OZ.
CASE ORDER #: 10135	CASE UNITS: 24/CASE

3-IN-ONE® MULTI-PURPOSE OIL

ITEM #: 10038	NET WEIGHT: 8 OZ.
CASE ORDER #: 10138	CASE UNITS: 12/CASE

3-IN-ONE® GARAGE DOOR LUBE

ITEM #: 10058	NET WEIGHT: 11 OZ.
CASE ORDER #: 100581	CASE UNITS: 6/CASE

3-IN-ONE₀ LOCK DRY LUBE

ITEM #: 12007	NET WEIGHT: 2.5 OZ.
CASE ORDER #: 120077	CASE UNITS: 12/CASE

3-IN-ONE₀ ALL-TEMP SILICONE DRIP OIL

ITEM #: 12000	NET WEIGHT: 4 OZ.
CASE ORDER #: 120008	CASE UNITS: 12/CASE

3-IN-ONE® FAST-ACTING PENETRANT DRIP OIL

ITEM #: 12001	NET WEIGHT: 4 OZ.
CASE ORDER #: 120015	CASE UNITS: 12/CASE

۵۷۵	RAR	SOAP	
.AVA©	DAR	JUAF	

ITEM #: 10085	NET WEIGHT: 5.75 OZ.
CASE ORDER #: 10185	CASE UNITS: 24/CASE

LAVA® BAR SOAP TWIN

ITEM #: 10086	NET WEIGHT: 5.75 OZ.
CASE ORDER #: 10186	CASE UNITS: 12/CASE

3-IN-ONE® DRY-TO-TOUCH LUBE DRIP OIL

ITEM #: 12002	NET WEIGHT: 4 OZ.
CASE ORDER #: 120022	CASE UNITS: 12/CASE

3-IN-ONE® MULTI-PURPOSE PTFE LUBE DRIP OIL

ITEM #: 12003	NET WEIGHT: 4 OZ.
CASE ORDER #: 120039	CASE UNITS: 12/CASE

3-IN-ONE® PROFESSIONAL-GRADE PNEUMATIC TOOL DRIP OIL

ITEM #: 12004	NET WEIGHT: 4 OZ.
CASE ORDER #: 120046	CASE UNITS: 12/CASE

3-IN-ONE® LONG-LASTING MOTOR OIL (SAE 20)

ITEM #: 10045	NET WEIGHT: 3 OZ.
CASE ORDER #: 101456	CASE UNITS: 24/CASE

3-IN-ONE₀ MULTI-PURPOSE OIL LOCKING SPOUT

ITEM #: 10070	NET WEIGHT: 4 OZ.
CASE ORDER #: 100703	CASE UNITS: 12/CASE

LAVA® BAR SOAP INDUSTRIAL

ITEM #: 10083	NET WEIGHT: 4 OZ.
CASE ORDER #: 10383	CASE UNITS: 48/CASE





NET WEIGHT: 1.25 OZ. CASE ORDER #: 290071 CASE UNITS: 12/CASE

2000 FLUSHES® CHLORINE AUTOMATIC TOILET BOWL CLEANER TWIN PACK

ITEM #: 29008	NET WEIGHT: 2.5 OZ.
CASE ORDER #: 290088	CASE UNITS: 6/CASE

2000 FLUSHES® BLUE PLUS BLEACH

E VE

ITEM #: 20801	NET WEIGHT: 3.5 OZ.
CASE ORDER #: 208017	CASE UNITS: 12/CASE



SPOT SHOT® PROFESSIONAL INSTANT CARPET STAIN REMOVER

IIEM #: 00993	NET WEIGHT: 18 OZ.
CASE ORDER #: 009934	CASE UNITS: 12/CASE

SPOT SHOT® PROFESSIONAL INSTANT CARPET STAIN REMOVER TRIGGER SPRAY

ITEM #: 00972	NET WEIGHT: 32 OZ.
CASE ORDER #: 009729	CASE UNITS: 12/CASE

SPOT SHOT® INSTANT CARPET STAIN & ODOR ELIMINATOR

IRIGGER SPRAT (NUN-IUXIC & BIUDEGRADABLE)		
ITEM #: 00971	NET WEIGHT: 22 OZ.	
CASE ORDER #: 009716	CASE UNITS: 6/CASE	

(-14₀ BLUE PLUS FRAGRANCE AUT(IMATIC TOILET BOWL CLE
ITEM #: 26801	NET WEIGHT: 1.6 OZ.
CASE ORDER #: 268011	CASE UNITS: 12/CASE





2000 FLUSHES® BLUE PLUS BLEACH TWIN PACK

ITEM #: 20808	NET WEIGHT: 7 OZ.
CASE ORDER #: 208082	CASE UNITS: 6/CASE

OIL

SILICONE

2000 FLUSHES® BLUE PLUS DETERGENTS AUTOMATIC TOILET BOWL CLEANER

ITEM #: 20102	NET WEIGHT: 3.5 OZ.
CASE ORDER #: 201020	CASE UNITS: 12/CASE



SPOT SHOT® PET INSTANT CARPET STAIN & ODOR ELIMINATOR

(NON-TOXIC)

ITEM #: 00920	NET WEIGHT: 14 OZ.
CASE ORDER #: 009208	CASE UNITS: 6/CASE

SPOT SHOT® PET INSTANT CARPET STAIN & ODOR ELIMINATOR TRIGGER SPRAY (NON-TOXIC)

ITEM #: 09912	NET WEIGHT: 22 OZ.
CASE ORDER #: 099126	CASE UNITS: 6/CASE

EANER

X-14® BLEACH AUTOMATIC TOILET BOWL CLEANER

ITEM #: 26901	NET WEIGHT: 1.7 OZ.
CASE ORDER #: 269070	CASE UNITS: 12/CASE



wd40.com/industrial WD-40 Company Customer Relations 1-888-324-7596